

FIG. 5




FIG. 6




FIG. 7

Conserved C-terminus of the Intein

Gene	N-Extein	Intein Sequence	C-Extein
Sce VMA Ctr VMA Mtu recA Mle recA Tli pol l2 Tli pol l1 Psp pol	VIIYVG KVVKNK IGVMFG KVLYAD	CFAKGT -(454 AA)- NQVVVHN CFTKGT -(471 AA)- NMALVHN CLAEGT -(440 AA)- EGVVVHN CMNYST -(365 AA)- DGVMVHN SVSGES -(390 AA)- NN LVHN SILPNE -(538 AA)- GLLYAHN SILPEE -(537 AA)- GFLYAHN	CGERGN CSPPFK SPETTT TDGFYA SYYGYM

FIG. 8

9/11

Topo Intein Designs

Original Intein Coding Sequence

TS Coding Sequence

GTT GTT GTA CAC AAC TGT ATG AAA CAA TAC CAA CAA CAT GTG TTG ACA TAC TTT GTT ATG Val Val His Asn Cys Met Lys Gln Tyr

"ALV Intein"

Topo Mutations

GCC CTT GTA CAC AAC TGT ATG AAA CAA TAC CTT GAA CAT GTG TTG ACA TAC TTT GTT ATG Ala Leu Val His Asn Cys Met Lys Gln Tyr

"VLV Intein"

Topo Mutations

GTC CTT GTA CAC AAC TGT ATG AAA CAA TAC CAT GAA CAT GTG TTG ACA TAC TTT GTT ATG Val Leu Val His Asn Cys Met Lys Gln Tyr

FIG. 9




FIG. 10

11/11

Cleaving Rate Studies - Optimal pH

(Cleaving at 37°C)




FIG. 11